



Product categories




Frozen Food
and Ice cream

Technical features



Ventilated



Remote
condensing unit



LED lighting



High efficiency
fans



Electric defrost



EPTABLUÉ

Certification and patents




Eurovent*

* Epta S.p.A. participates in the ECC programme for:
Refrigerated display cabinets (RDC); Check ongoing validity
of certificate online: www.eurovent-certification.com
or using: www.certiflash.com


Product range

GRANBERING									
Lenght-Lunghezza Longueur-Länge-Longitud mm			2P 1565	3P 2343	4P 3124	5P 3905	2P EOL 1664	3P EOL 2445	3P S EOL 2025
GRANBERING	2110	C	•	•	•	•			
		N	•	•	•	•	•	•	•
	2260	C	•	•	•	•			
		N	•	•	•	•	•	•	
Display area Superficie di esposizione Warenpräsentationsfläche Surface d'exposition Superficie expositiva m2	2110	C	2.30	3.50	4.60	5.80			
		N	2.50	3.70	5.00	6.20	2.50	3.70	3.00
	2260	C	2.50	3.80	5.00	6.30			
		N	2.70	4.00	5.40	6.70	2.70	4.00	
Loading area Superficie di appoggio Nutzfläche Surface de chargement Superficie de apoyo m2	2110	C	1.18	1.75	2.34	2.92			
		N	1.40	2.10	2.80	3.51	1.40	2.10	1.85
	2260	C	1.18	1.75	2.34	2.92			
		N	1.40	2.10	2.80	3.51	1.40	2.10	
Net storage capacity Capacità netta Nutzinhalt volume utile Capacitat neta dm3	2110	C	1218.40	1827.50	2436.70	3045.90			
		N	1608.90	2413.30	3217.70	4022.20	1608.90	2413.30	1980.7
	2260	C	1327.70	1991.60	2655.40	3319.30			
		N	1749.40	2624.20	3498.90	4373.60	1749.40	2624.20	
End thickness Spessore spalla Stärke der Seitenwand Épaisseur de chequer joue Espesor lateral mm			51.00						


Cross sections



Cross Sections



22N



EPTABLU- OPTION