



Product categories




Frozen Food
and Ice cream

Technical features



Ventilated



Remote
condensing unit



LED lighting



High efficiency
fans



Electric defrost

Certification and patents




Eurovent*

* Epta S.p.A. participates in the ECC programme for:
Refrigerated display cabinets (RDC); Check ongoing validity
of certificate online: www.eurovent-certification.com
or using: www.certiflash.com


Product range

CAYMAN UP					
Lenght-Lunghezza Longueur-Länge-Longitud mm		1880	2500	3750	EOL2240
CAYMAN UP	H2000	•	•	•	•
	H2200	•	•	•	•
Dispaly area Superficie di esposizione Warenpräsen- tationsfläche Surface d'exposition Superficie expositiva m2	H2000	1.83	2.45	3.68	1.83
	H2200	2.06	2.76	4.15	2.06
Loading area Superficie di appoggio Nutzfläche Surface de chargement Superficie de apoyo m2	H2000	2.22	2.94	4.41	2.22
	H2200	2.22	2.94	4.41	2.22
Net storage capacity Capacità netta Nutzinhalt volume utile Capacitat neta dm3	H2000	1193.00	1581.00	2372.00	1193.00
	H2200	1344.00	1781.00	2672.00	1344.00
End thickness Spessore spalla Stärke der Seitenwand Épaisseur de cheue joue Espesor lateral mm		51.00 (+ 104 Batticarrello/Bumper Rail/Pare-choc Wagenstoßleiste/Parachoques)			


Cross sections



20 LINEAR




EOL - 20




22 LINEAR

Cross Sections



EOL - 22



EPTABLUE - OPTION